

# Wavelet Methods for Time Series Analysis

## Part IX: Wavelet-Based Bootstrapping

- start with some background on bootstrapping and its rationale
- describe adjustments to the bootstrap that allow it to work with correlated time series
- describe how the decorrelating property of the DWT can be used to develop a wavelet-based bootstrap for certain time series
- describe ‘wavestrapping,’ an adaptive procedure based upon finding a decorrelating transform from a wavelet packet table

## Motivating Question

- let  $\mathbf{X} = [X_0, \dots, X_{N-1}]^T$  be a finite portion of a stationary process with autocovariance sequence (ACVS)  $\{s_\tau\}$
- let  $\{\rho_\tau\}$  be the corresponding autocorrelation sequence (ACS):

$$\rho_\tau = \frac{s_\tau}{s_0}, \quad \text{where } s_\tau = \text{cov}\{X_t, X_{t+\tau}\} \text{ and } s_0 = \text{var}\{X_t\}$$

- given a time series, we can estimate its ACS at  $\tau = 1$  using

$$\hat{\rho}_1 \equiv \frac{\sum_{t=0}^{N-2} X_t X_{t+1}}{\sum_{t=0}^{N-1} X_t^2}$$

under the assumption that  $E\{X_t\} = 0$

- Q: given the amount  $N$  of data we have, how close can we expect  $\hat{\rho}_1$  to be to the true unknown  $\rho_1$ ?
- i.e., how can we assess the sampling variability in  $\hat{\rho}_1$ ?

## Classic Approach – Large Sample Theory: I

- in what follows, let  $\mathcal{N}(\mu, \sigma^2)$  denote a Gaussian (normal) random variable (RV) with mean  $\mu$  and variance  $\sigma^2$
- if  $X_t$ 's were independent and identically distributed (IID) so that  $\rho_1 = 0$ , the distribution of  $\hat{\rho}_1$  becomes arbitrarily close to that of an  $\mathcal{N}(0, \frac{1}{N})$  RV as  $N \rightarrow \infty$  (requires suitable conditions)

## Classic Approach – Large Sample Theory: II

- more generally,  $\hat{\rho}_1$  is close to the distribution of an  $\mathcal{N}(\rho_1, \sigma_N^2)$  RV as  $N \rightarrow \infty$ , where

$$\sigma_N^2 \equiv \frac{1}{N} \sum_{\tau=-\infty}^{\infty} \left\{ \rho_{\tau}^2 (1 + 2\rho_1^2) + \rho_{\tau+1}\rho_{\tau-1} - 4\rho_1\rho_{\tau}\rho_{\tau-1} \right\}$$

- in practice, the above result is unappealing because it requires
  - knowledge of the theoretical ACS
  - the ACS to damp down sufficiently fast, which would rule out long memory processes (LMPs)
- while large sample theory has been worked out for  $\hat{\rho}_1$  under certain conditions, similar theory for other statistics can be hard to come by

## Alternative Approach – Bootstrapping: I

- if  $X_t$ 's were IID, we could apply ‘bootstrapping’ to assess the variability in  $\hat{\rho}_1$ , as follows

- suppose we have the following time series of length  $N = 8$ , which is a realization of a Gaussian white noise process:

$$\mathbf{x} \doteq [1.9, 2.2, -0.1, 1.0, -0.6, 0.5, -1.3, -0.3]^T,$$

for which  $\hat{\rho}_1 \doteq 0.23$  (for white noise, the true value of  $\rho_1$  is 0)

- generate a new time series  $\mathbf{x}^{(1)}$  by randomly sampling from  $\mathbf{x}$ :


$$\mathbf{x}^{(1)} \doteq [2.2, -0.1, -0.1, 1.0, 1.9, 1.9, -0.6, -0.1]^T,$$

for which  $\hat{\rho}_1^{(1)} \doteq 0.31$  (note: sampling is done with replacement)

- do again to get  $\mathbf{x}^{(2)} = [-0.3, 0.5, 1.9, -0.6, -0.3, 0.5, 2.2, 2.2]^T$ , for which  $\hat{\rho}_1^{(2)} \doteq 0.39$

## Alternative Approach – Bootstrapping: II


- repeat a large number of times to get  $\hat{\rho}_1^{(1)}, \hat{\rho}_1^{(2)}, \dots, \hat{\rho}_1^{(M)}$
- plots shows histogram for  $\{\hat{\rho}_1^{(m)} : m = 1, \dots, 10,000\}$ , along with **probability density function** (PDF) for  $\mathcal{N}(0, \frac{1}{8})$  (left-hand plot) and an approximation to the **true PDF** for  $\hat{\rho}_1$  (right)



- can regard sample distribution of  $\{\hat{\rho}_1^{(m)}\}$  as an approximation to the unknown distribution of  $\hat{\rho}_1$

## Alternative Approach – Bootstrapping: III


- bootstrap approximation to distribution of  $\hat{\rho}_1$  gets better as  $N$  increases
- consider sample of Gaussian white noise of length  $N = 128$ , for which  $\hat{\rho}_1 \doteq -0.02$



- sample distribution of  $\{\hat{\rho}_1^{(m)}\}$  agrees quite well with the approximate true PDF


## Bootstrapping Correlated Time Series: I

- key assumption:  $\mathbf{x}$  was a realization of IID RVs
- if not true (usually the case with time series!), sample distribution of  $\{\hat{\rho}_1^{(m)}\}$  can be badly misleading as an approximation to unknown distribution of  $\hat{\rho}_1$
- as an example, consider a realization of a fractionally differenced (FD) process with parameter  $\delta = \frac{1}{4}$ , for which  $\hat{\rho}_1 \doteq 0.23$  (for an FD( $\frac{1}{4}$ ) process,  $\rho_1 = \frac{1}{3}$ )



## Bootstrapping Correlated Time Series: II

- use the same procedure as before to get  $\hat{\rho}_1^{(1)}, \hat{\rho}_1^{(2)}, \dots, \hat{\rho}_1^{(M)}$
- plot shows histogram for  $\{\hat{\rho}_1^{(m)} : m = 1, \dots, 10,000\}$ , along with an approximation to the **true PDF** for  $\hat{\rho}_1$



vertical lines indicate  $\hat{\rho}_1$  and  $\rho_1$

- bootstrap approximation gets even worse as  $N$  increases
- to correct the problem caused by correlation in time series, can use specialized time or frequency domain bootstrapping *if* ACS damp downs sufficiently fast

## Parametric Bootstrapping: I

- one well-known time domain bootstrapping scheme is the parametric (or residual) bootstrap
- suppose we can assume that our time series is a realization of a portion  $X_0, \dots, X_{N-1}$  of a first order autoregressive (AR) process:

$$X_t = \phi_1 X_{t-1} + \epsilon_t,$$

where  $|\phi_1| < 1$  and  $\{\epsilon_t\}$  is white noise with zero mean and variance  $\sigma_\epsilon^2$  (this model is widely used in geophysics)

- have  $\text{var}\{X_t\} = \sigma_\epsilon^2 / (1 - \phi_1^2)$  and  $\rho_\tau = \phi_1^{|\tau|}$  for AR(1) process
- in particular,  $\rho_1 = \phi_1$ , so can estimate  $\phi_1$  using  $\hat{\phi}_1 \equiv \hat{\rho}_1$

## Parametric Bootstrapping: II

- since  $\epsilon_t = X_t - \phi_1 X_{t-1}$ , can form residuals

$$r_t = X_t - \hat{\phi}_1 X_{t-1}, \quad t = 1, \dots, N - 1,$$

with the idea that  $r_t$  will be a good approximation to  $\epsilon_t$   
(note: there are  $N - 1$  residuals rather than  $N$ )

- let  $r_0^{(1)}, r_1^{(1)}, \dots, r_{N-1}^{(1)}$  be a random sample from  $r_1, r_2, \dots, r_{N-1}$   
(as before, sampling is done with replacement)
- let  $X_0^{(1)} = r_0^{(1)} / (1 - \hat{\phi}_1^2)^{1/2}$  ('stationary initial condition')
- form

$$X_t^{(1)} = \hat{\phi}_1 X_{t-1}^{(1)} + r_t^{(1)}, \quad t = 1, \dots, N - 1,$$


yielding the bootstrapped time series  $X_0^{(1)}, X_1^{(1)}, \dots, X_{N-1}^{(1)}$

## Parametric Bootstrapping: III


- use  $X_0^{(1)}, X_1^{(1)}, \dots, X_{N-1}^{(1)}$  to compute  $\hat{\rho}_1^{(1)}$
- let  $r_0^{(2)}, r_1^{(2)}, \dots, r_{N-1}^{(2)}$  be a second random sample from  $r_1, r_2, \dots, r_{N-1}$
- use these to form a second bootstrapped series  $X_0^{(2)}, X_1^{(2)}, \dots, X_{N-1}^{(2)}$ , from which we form  $\hat{\rho}_1^{(2)}$
- repeat this procedure  $M$  times to get  $\hat{\rho}_1^{(1)}, \hat{\rho}_1^{(2)}, \dots, \hat{\rho}_1^{(M)}$

## Parametric Bootstrapping: IV

- as an example, consider a realization of an AR(1) process with  $\phi_1 = \rho_1 = \frac{1}{3}$ , for which  $\hat{\rho}_1 \doteq 0.38$




- plot shows histogram for  $\{\hat{\rho}_1^{(m)} : m = 1, \dots, 10,000\}$ , along with an approximation to the true PDF for  $\hat{\rho}_1$



vertical lines indicate  $\hat{\rho}_1$  and  $\rho_1$

## Parametric Bootstrapping: V

- important assumption here is that time series is well modeled by AR(1) process
- to see what happens if this assumption fails, reconsider FD( $\frac{1}{4}$ ) realization and treat it as if it were an AR(1) realization
- since  $\hat{\rho}_1 \doteq 0.23$ , we would set  $\hat{\phi}_1 \doteq 0.23$
- plot shows histogram for  $\{\hat{\rho}_1^{(m)} : m = 1, \dots, 10,000\}$ , along with an approximation to the true PDF for  $\hat{\rho}_1$



vertical lines indicate  
 $\hat{\rho}_1$  and  $\rho_1$

## Parametric Bootstrapping: VI

- more generally, can fit  $p$ th order process

$$X_t = \sum_{u=1}^p \phi_u X_{t-u} + \epsilon_t \text{ and use } r_t = X_t - \sum_{u=1}^p \hat{\phi}_u X_{t-u}$$

to form new series and then  $\hat{\rho}_1^{(m)}$

- note that the number of residuals is  $N - p$ , so best to stick with small values of  $p$
- several variations on the basic scheme, one of which is to use  $\tilde{r}_t = r_t - \bar{r}$  rather than  $r_t$ , where  $\bar{r}$  is the sample mean of the residuals (usually close to zero, but sometimes not)

## Block Bootstrapping

- another time domain approach is block bootstrapping, which is nonparametric and has some nice theoretical properties, but a bit trickier to describe and implement

## Frequency Domain Bootstrapping

- ‘phase scramble’ discrete Fourier transform (DFT)  $\{\mathcal{X}_k\}$  of data  $\{X_t\}$  and apply inverse DFT to create new series:


$$\mathcal{X}_k = \sum_{t=0}^{N-1} X_t e^{-i2\pi kt/N} = A_k e^{i\theta_k}$$

- periodogram-based bootstrapping: in addition to phase scrambling, evoke large sample result that  $|A_k|$ 's are approximately uncorrelated with distribution related to a chi-square RV with 2 degrees of freedom
- circulant embedding bootstrapping: form nonparametric estimate of spectral density function and generate realizations using circulant embedding

## Rationale for Wavelet Domain Bootstrapping

- time and frequency domain approaches are both problematic for long memory processes
- DWT decorrelates certain time series  $\mathbf{X}$ , including long memory processes (these are ruled out by time and frequency domain bootstrapping because ACS damps down slowly)
- level  $J_0$  partial DWT maps  $\mathbf{X}$  to  $\mathbf{W}_1, \mathbf{W}_2, \dots, \mathbf{W}_{J_0}$  and  $\mathbf{V}_{J_0}$ , with the RVs in the  $\mathbf{W}_j$ 's being approximately uncorrelated (note: scaling coefficients  $\mathbf{V}_{J_0}$  are still highly correlated)

## DWT of a Long Memory Process: I




- realization of an FD(0.4) time series  $\mathbf{X}$  along with its sample autocorrelation sequence (ACS): for  $\tau \geq 0$ ,

$$\hat{\rho}_{X,\tau} \equiv \frac{\sum_{t=0}^{N-1-\tau} X_t X_{t+\tau}}{\sum_{t=0}^{N-1} X_t^2}$$

- note that ACS dies down slowly


## DWT of a Long Memory Process: II



- LA(8) DWT of FD(0.4) series and sample ACSs for each  $W_j$  &  $V_7$ , along with 95% confidence intervals for white noise

## DWT of a Long Memory Process: III

- second example: ACS for FD(0.45)




- unit lag autocorrelations for  $\mathbf{W}_j$  using the Haar, D(4) and LA(8) wavelet filters (other autocorrelations are very small)

$j$	Haar	D(4)	LA(8)
1	-0.0626	-0.0797	-0.0767
2	-0.0947	-0.1320	-0.1356
3	-0.1133	-0.1511	-0.1501
4	-0.1211	-0.1559	-0.1535

## DWT of a Long Memory Process: IV

- spectral density functions (SDFs) for  $\mathbf{X}$  and  $\mathbf{W}_j$



- relatively flat (white noise if perfectly flat), but remaining variation well approximated by SDF for AR(2) process
- height increases as  $j$  increases (variance of  $\mathbf{W}_j$  sets height)

## DWT of a Long Memory Process: V

- maximum absolute cross-correlations for wavelet coefficients in  $\mathbf{W}_j$  and  $\mathbf{W}_{j'}$  for  $1 \leq j < j' \leq 4$

	Haar			D(4)			LA(8)		
$j \backslash j'$	2	3	4	2	3	4	2	3	4
1	0.13	0.17	0.14	0.09	0.09	0.04	0.06	0.03	0.00
2		0.17	0.21		0.12	0.11		0.08	0.03
3			0.18			0.13			0.08

## Recipe for Wavelet Domain Bootstrapping: I

1. given  $\mathbf{X}$  of length  $N = 2^J$ , compute level  $J_0 = J - 2$  partial DWT  $\mathbf{W}_1, \dots, \mathbf{W}_{J_0}$  and  $\mathbf{V}_{J_0}$  (4 coefficients in  $\mathbf{W}_{J_0}$  and  $\mathbf{V}_{J_0}$ )
2. randomly sample with replacement  $N/2^j$  times from  $\mathbf{W}_j$  to create bootstrapped vector  $\mathbf{W}_j^{(b)}$ ,  $j = 1, \dots, J_0$
3. do the same for  $\mathbf{V}_{J_0}$  to create  $\mathbf{V}_{J_0}^{(b)}$  (theory lacking here, but better in computer experiments than using just  $\mathbf{V}_{J_0}$ )
4. apply inverse transform to  $\mathbf{W}_1^{(b)}, \dots, \mathbf{W}_{J_0}^{(b)}$  and  $\mathbf{V}_{J_0}^{(b)}$  to obtain bootstrapped time series  $\mathbf{X}^{(b)}$
5. compute unit lag sample autocorrelation  $\hat{\rho}_1^{(b)}$ 
  - repeat above many times to build up sample distribution of bootstrapped autocorrelations

## Recipe for Wavelet Domain Bootstrapping: II

- computer experiments indicate improvement over block bootstrap for FD processes
- variation: replace  $\mathbf{X}$  by series of length  $2N$  given by

$$\mathbf{X}_{(c)} \equiv [X_0, X_1, \dots, X_{N-2}, X_{N-1}, X_{N-1}, X_{N-2}, \dots, X_1, X_0]^T;$$

i.e., use ‘reflection’ rather than circular boundary conditions


## Motivation for ‘Wavestrapping’: I

- DWT does not adequately decorrelate all time series
- consider first order moving average process (MA(1)):

$$X_t = \epsilon_t + 0.99\epsilon_{t-1}$$

## Motivation for ‘Wavestrapping’: II

- SDFs for MA(1) process and associated  $\mathbf{W}_j$



- note that SDF of  $\mathbf{W}_1$  is not approximately flat
- idea: use transform selected from wavelet packet table

## Motivation for ‘Wavestrapping’: III


- consider following level  $J_0 = 4$  wavelet packet table (WPT):

$\mathbf{W}_{0,0} \equiv \mathbf{X}$															
$\mathbf{W}_{1,0}$								$\mathbf{W}_{1,1}$							
$\mathbf{W}_{2,0}$				$\mathbf{W}_{2,1}$				$\mathbf{W}_{2,2}$				$\mathbf{W}_{2,3}$			
$\mathbf{W}_{3,0}$		$\mathbf{W}_{3,1}$		$\mathbf{W}_{3,2}$		$\mathbf{W}_{3,3}$		$\mathbf{W}_{3,4}$		$\mathbf{W}_{3,5}$		$\mathbf{W}_{3,6}$		$\mathbf{W}_{3,7}$	
$\mathbf{W}_{4,0}$	$\mathbf{W}_{4,1}$	$\mathbf{W}_{4,2}$	$\mathbf{W}_{4,3}$	$\mathbf{W}_{4,4}$	$\mathbf{W}_{4,5}$	$\mathbf{W}_{4,6}$	$\mathbf{W}_{4,7}$	$\mathbf{W}_{4,8}$	$\mathbf{W}_{4,9}$	$\mathbf{W}_{4,10}$	$\mathbf{W}_{4,11}$	$\mathbf{W}_{4,12}$	$\mathbf{W}_{4,13}$	$\mathbf{W}_{4,14}$	$\mathbf{W}_{4,15}$
0	1/16		1/8		3/16		1/4	5/16		3/8		7/16		1/2	
$f$															

- shaded boxes identify an orthonormal transform that is a better decorrelator of the MA(1) process than the DWT

## Motivation for ‘Wavestrapping’: IV

- SDFs for MA(1) process and associated  $\mathbf{W}_{j,n}$



## Motivation for ‘Wavestrapping’: $V$

- first 5 of  $\mathbf{W}_{j,n}$  SDFs have variations less than 3 dB, but those for  $\mathbf{W}_{4,13}$ ,  $\mathbf{W}_{4,14}$  and  $\mathbf{W}_{4,15}$  vary by 3.9, 5.3 and 7.2 dB
- increasing depth of WPT to  $J_0 = 6$  allows us to replace these by
  - three  $j = 5$  level subvectors  $\mathbf{W}_{5,26}$ ,  $\mathbf{W}_{5,27}$ ,  $\mathbf{W}_{5,28}$  and
  - six  $j = 6$  level subvectors  $\mathbf{W}_{6,58}, \dots, \mathbf{W}_{6,63}$ 
    - resulting WPT has SDFs that all vary by less than 3 dB
- idea: adaptively select transform by using white noise tests

## Recipe for Wavestrapping: I

1. given  $\mathbf{X}$  of length  $2^J$ , compute level  $J_0 = J - 2$  WPT  
(enter step 2 with starting values  $j = n = 0$  and  $\mathbf{W}_{0,0} \equiv \mathbf{X}$ )
2. if  $j = J_0$ , retain  $\mathbf{W}_{j,n}$ ; if  $j < J_0$ , do white noise test on  $\mathbf{W}_{j,n}$ 
  - portmanteau test on autocorrelation estimates for  $\mathbf{W}_{j,n}$
  - cumulative periodogram test

if fail to reject the null hypothesis, retain  $\mathbf{W}_{j,n}$ ; if reject, discard  $\mathbf{W}_{j,n}$  (after transforming it into  $\mathbf{W}_{j+1,2n}$  and  $\mathbf{W}_{j+1,2n+1}$ ), and repeat this step twice again (both on  $\mathbf{W}_{j+1,2n}$  and  $\mathbf{W}_{j+1,2n+1}$ )
3. desired adaptively chosen transform consists of all subvectors retained after step 2 applied as many times as needed; randomly sample (with replacement) from each subvector in the transform to create the similarly dimensioned wavestrapped subvectors

## Recipe for Wavestrapping: II

4. apply inverse transform to obtain bootstrapped time series  $\mathbf{X}^{(b)}$
5. compute unit lag sample autocorrelation  $\hat{\rho}_1^{(b)}$ 
  - repeat above many times to build up sample distribution of bootstrapped autocorrelations


# Summary of Computer Experiments - I

Process	Boundary	Wavestrap			Block	True
		DWT	Port	Pgrm		
<b>WN</b>						
$N = 128$	periodic	8.2	8.7	8.8	8.1	8.7
	reflection	8.3	8.6	8.7		
$N = 1024$	periodic	3.1	3.1	3.1	3.0	3.1
	reflection	3.2	3.2	3.1		
<b>AR(1)</b>						
$N = 128$	periodic	5.7	5.2	5.1	5.4	4.8
	reflection	5.5	5.1	5.4		
$N = 1024$	periodic	1.6	1.5	1.5	1.5	1.4
	reflection	1.6	1.5	1.5		
<b>MA(1)</b>						
$N = 128$	periodic	7.1	6.8	6.8	6.5	6.3
	reflection	7.0	6.8	6.6		
$N = 1024$	periodic	2.6	2.4	2.3	2.2	2.2
	reflection	2.6	2.4	2.4		
<b>FD</b>						
$N = 128$	periodic	9.4	8.3	8.5	7.7	10.7
	reflection	9.9	8.8	9.6		
$N = 1024$	periodic	4.4	4.2	4.2	3.4	5.3
	reflection	4.7	4.5	4.7		

## Summary of Computer Experiments - II

- standard deviations ( $\times 100$ ) of unit lag sample autocorrelations given by DWT-based bootstrapping, two forms of wavestrapping and block bootstrap, along with true standard deviations
- four models considered are white noise (WN); AR(1) process  $X_t = 0.9X_{t-1} + \epsilon_t$ ; MA(1) process  $X_t = \epsilon_t + 0.99\epsilon_{t-1}$ ; and fractionally differenced (FD) process with  $\delta = 0.45$
- wavestrapping with portmanteau test and reflection boundary conditions does better than – or is comparable to – block bootstrap (current state of the art) except for the MA(1) process, for which the block bootstrap is ideally suited

## Application to BMW Stock Prices - I




- plot shows log of daily returns on BMW share prices
- has small unit lag sample autocorrelation:  $\hat{\rho}_1 \doteq 0.081$ .
- large sample theory appropriate for Gaussian white noise gives standard error of  $1/\sqrt{N} \doteq 0.013$

## Application to BMW Stock Prices - II

- Gaussianity is suspect: data better modeled by  $t$  distribution with 3.9 degrees of freedom
- block bootstrap with block sizes 30, 50, 100, 200 and 500 gives standard errors are 0.012, 0.012, 0.014, 0.016 and 0.015
- DWT-based bootstrap and wavestrap give 0.023 & 0.020
- confirms presence of autocorrelation (small, but presumably exploitable by traders)

# Applications to Bivariate Climate Time Series - I




- plot shows Pacific decadal oscillation (PDO) index (**thick curve**) and March 15th snow depth on Mt. Rainier (**thin curve**)
- sample cross-correlation is

$$\hat{\rho}_{XY} \equiv \frac{\sum_{t=0}^{N-1} (X_t - \bar{X})(Y_t - \bar{Y})}{\left[ \sum_{t=0}^{N-1} (X_t - \bar{X})^2 \sum_{t=0}^{N-1} (Y_t - \bar{Y})^2 \right]^{1/2}} \doteq -0.27$$

- Q: given such a short series, is this significantly different from zero?

## Applications to Bivariate Climate Time Series - II

- histogram of wavestrapped cross-correlations says ‘yes’



## Comment on Other Approaches

- stick with DWT, but use  $J_0 = J - 3$  or  $J_0 = J - 4$  partial DWT so that there are 8 or 16 coefficients in both  $\mathbf{W}_{J_0}$  and  $\mathbf{V}_{J_0}$ , then use parametric bootstrap on  $\mathbf{V}_{J_0}$
- in addition to using parametric bootstrap on  $\mathbf{V}_{J_0}$ , use parametric or block bootstrap separately on each subvector  $\mathbf{W}_j$ 
  - for FD processes, although  $\mathbf{W}_j$  is close to white noise, its variation from white noise is captured to a very good approximation by an AR(1) or AR(2) process

## References: I

- C. Angelini, D. Cava, G. Katul and B. Vidakovic (2005), ‘Resampling Hierarchical Processes in the Wavelet Domain: A Case Study Using Atmospheric Turbulence,’ *Physica D*, **207**, pp. 24-40
- M. Breakspear, M. J. Brammer, E. T. Bullmore, P. Das and L. M. Williams (2004), ‘Spatiotemporal Wavelet Resampling for Functional Neuroimaging Data,’ *Human Brain Mapping*, **23**, pp. 1–25
- M. Breakspear, M. Brammer and P. A. Robinson (2003), ‘Construction of Multivariate Surrogate Sets from Nonlinear Data Using the Wavelet Transform,’ *Physica D*, **182**, pp. 1–22
- E. Bullmore, J. Fadili, V. Maxim, L. Şendur, B. Whitcher, J. Suckling, M. Brammer and M. Breakspear (2004), ‘Wavelets and Functional Magnetic Resonance Imaging of the Human Brain,’ *NeuroImage*, **23**, pp. S234-S249
- E. Bullmore, C. Long, J. Suckling, J. Fadili, G. Calvert, F. Zelaya, T. A. Carpenter and M. Brammer (2001), ‘Colored Noise and Computational Inference in Neurophysiological (fMRI) Time Series Analysis: Resampling Methods in Time and Wavelet Domains,’ *Human Brain Mapping*, **12**, pp. 61–78

## References: II

- A. C. Davison and D. V. Hinkley (1997), *Bootstrap Methods and their Applications*, Cambridge University Press
- H. Feng, T. R. Willemain and N. Shang (2005), ‘Wavelet-Based Bootstrap for Time Series Analysis,’ *Communications in Statistics: Simulation and Computation* **34**(2), pp. 393–413
- S. Golia (2002), ‘Evaluating the GPH Estimator via Bootstrap Technique,’ in *Proceedings in Computational Statistics COMPSTAT2002*, edited by W. Härdle and B. Ronz. Heidelberg: Physica–Verlag, pp. 343–8
- D. B. Percival and W. L. B. Constantine (2006), ‘Exact Simulation of Gaussian Time Series from Nonparametric Spectral Estimates with Application to Bootstrapping,’ *Statistics and Computing*, **16**(1), pp. 25–35.
- D. B. Percival, S. Sardy and A. C. Davison (2001), ‘Wavestrapping Time Series: Adaptive Wavelet-Based Bootstrapping,’ in *Nonlinear and Nonstationary Signal Processing*, edited by W. J. Fitzgerald, R. L. Smith, A. T. Walden and P. C. Young. Cambridge, England: Cambridge University Press, pp. 442–70

## References: III

- A. M. Sabatini (1999), ‘Wavelet-Based Estimation of  $1/f$ -Type Signal Parameters: Confidence Intervals Using the Bootstrap,’ *IEEE Transactions on Signal Processing*, **47**(12), pp. 3406–9
- B. J. Whitcher (2006), ‘Wavelet-Based Bootstrapping of Spatial Patterns on a Finite Lattice,’ *Computational Statistics & Data Analysis* **50**(9), pp. 2399–421